



# Why a revision?

- Rebranding of DNV from “DNV-GL”
- Customer feedback
- DNV Product Development and Certifications (PDC) Division
  - Certification service portfolio alignment
  - Internal audit of certification requirements - inconsistencies




# High-Level Changes Overview



- **Quality Management System (QM)**
  - Quality review, improvement, documentation
  - QM.6 (CR.2) – identifies the VAD MDT oversight group
  - QM.7
    - Provides basis for internal identification of nonconformances and further corrective action
    - One addition to the VAD metrics: GI Bleed Rate
- **Program Management (PM)**
  - Ensuring qualifications for the VADP Medical Director and VAD Coordinator are established and consistent with industry standards

# High-Level Changes Overview, cont.



- **Medical Staff (MS)**

- Coordination of the VADP with the organization governing body to
  - Define the minimum required CMEs
  - Ensure procedures exist for privilege requests
  - Determine specific quality performance data


- **Program Management (PM)**

- Ensuring qualifications for the VADP Medical Director and VAD Coordinator are established and consistent with industry standards

- **Staffing Management (SM)**

- The reader will see blue font in SM.2 (CR.1-4): Competence Training and Awareness
  - Practice impact minimal
- SM.6 (CR.2) – previously an Interpretive Guideline, now a formal requirement


# High-Level Changes Overview, cont.



- **Medical Record Service (MR)**
  - New requirement: MR.2 Protected Health Information – ensures the digital components of the medical record have security parameters
- **Physical Environment (PE)**
  - PE.5 (CR.1a) – defines “safe use” of medical equipment
- **VAD Program Service Delivery (SD)**
  - Clarity language predominantly
  - SD.1 (CR.2) – EBP efforts as provided by industry and professional organizations
  - New requirement: SD.3 Customer Focus and Interested Parties
    - Requires an evaluation process by customers and interested parties
    - Little-to-No impact to existing processes




# High-Level Changes Overview, cont.



- **VAD Program Service Delivery (SD), cont.**

- New requirement: SD.6 VAD Program Protocols/Pathways
  - Requires a process for official review of protocols, clinical pathways, etc.
- SD.11 Medication Management
  - CR.5 and CR.6 – requires proper processes for medication and verbal orders.

# When to expect the Rev-22 Release?



- **RELEASED 9/30/22**
- We will allow a grace period for review, gap analysis and implementation
  - The grace period will be detailed – ***DNV Advisory Notice***
- If you have a pending survey in 2022:
  - Your survey Team Leader will ensure you know what version you will be surveyed to

# Common Findings

- 59 findings over the past 12 months (rolling calendar)
- Three Findings – High-Frequency
- Two were written at the same frequency

DNV

Organization: St. Jamie's Hospital - Jeffcoat, SC

NC Number	Process or Standard	Nonconformance category	DNV requirement(s) and other applicable standard(s)
NC-1-1	Service Delivery Medication Management	NC-1 Condition Level	SC.9 (CR.2)
		X NC-1	
		NC-2	

Requirement (Description):

**SD.9 MEDICATION MANAGEMENT**

CR.2 All medications shall be administered by or under the supervision of nursing or other qualified personnel in accordance with applicable Federal and State laws. All drugs and biologicals shall be administered only upon the orders of the practitioner responsible for the care of the VAD patient in accordance with approved medical staff policies and procedures, and accepted standards of practice.

The requirement was NOT MET as evidenced by the following:

Per St. Jamie's Hospital policy, Sedation Guidelines (rev. 4/15),

Sedation and Assessment Documentation (pg. 6-7)

1. A sedation goal or endpoint should be established & regularly redefined for each patient
2. Regular assessment and response to therapy should be systematically documented
3. The use of a validated sedation assessment scale (SAS) is recommended.

Nursing assessment and documentation will be accomplished using the Riker Sedation Agitation Scale (SAS)

2. The MD should indicate 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000
6. After each dose and/or continuous infusion rate adjustment, a sedation score should be obtained within 1 hour or sooner of the intervention until the desired endpoint is achieved.
7. This assessment and scoring should be repeated at the next scheduled assessment period or within 4 hours, whichever comes first. The sedation score (SAS), assessment data, vital signs and medication dose is documented at each dosage adjustment and/or with routine assessment.

During review of three (3) of three (3) medical records for patient assessment and ventilator tolerance medication titration, there is no objective evidence justifying sedation titration based on SAS documentation per the following orders:

**Fentanyl** 1 mcg/kg IV loading dose, then continuous infusion of 1 mcg/kg/hr. Alternate dose of 0.5 mcg/kg/hr can be initiated and titrated upward as needed. If target not achieved after 30 minutes increase by 1 mcg/kg/min every 30 minutes to a maximum dose of 200 mcg/hr.

**Versed** Start infusion at 1 mg/hr. If target not achieved after 30 minutes increase by 1 mg/hr every 30 minutes to a max of 10 mg/hr or target score achieved. If target over-achieved reduce infusion by 1

DNV Healthcare USA Inc. | dnvident@dnv.com | Certifications Rev 01-2022

Page 4 of 14

# Common Findings

## 1. AS.1 Anesthesia Services

- (CR.2d) / (CR.2d[1]) / (CR.2d[1][i-vii]) - Post-Anesthesia requirements
- Align with CMS §482.52(b)(3)

*CR.2d(1)(i) Respiratory function, including respiratory rate, airway patency, and oxygen saturation;*

*CR.2d(1)(ii) Cardiovascular function, including pulse rate and blood pressure;*

*CR.2d(1)(iii) Mental status;*

*CR.2d(1)(iv) Temperature;*

*CR.2d(1)(v) Pain;*

*CR.2d(1)(vi) Nausea and vomiting; and,*

*CR.2d(1)(vii) Postoperative hydration.*



*CR.2d(2)(i) If the required elements of the post-anesthesia evaluation are available elsewhere in the medical record, it is acceptable if referred to and authenticated as accurate by the individual qualified to administer anesthesia.*

**NCs:** *Related to any single or combination of required elements  
Document Timing  
Vital signs consistent with the post-anesthesia phase*

**DNV**

Organization: St. Jamie's Hospital - Jeffcoat, SC

NC Number	Process or Standard	Nonconformance category	DNV requirement(s) and other applicable standard(s)
NC-1-1	Service Delivery Medication Management	NC-1 Condition Level	SC.9 (CR.2)
		X NC-1	
		NC-2	

**Requirement (Description):**  
SD.9 MEDICATION MANAGEMENT

CR.2 All medications shall be administered by or under the supervision of nursing or other qualified personnel in accordance with applicable Federal and State laws. All drugs and biologicals shall be administered only upon the orders of the practitioner responsible for the care of the VAD patient in accordance with approved medical staff policies and procedures, and accepted standards of practice.

**The requirement was NOT MET as evidenced by the following:**

Per St. Jamie's Hospital policy, Sedation Guidelines (rev. 4/15),

Sedation and Assessment Documentation (pg. 6-7)

1. A sedation goal or endpoint should be established & regularly redefined for each patient
2. Regular assessment and response to therapy should be systematically documented
3. The use of a validated sedation assessment scale (SAS) is recommended.

Nursing assessment and documentation will be accomplished using the Riker Sedation Agitation Scale (SAS)

2. The MD should indicate 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000
6. After each dose and/or continuous infusion rate adjustment, a sedation score should be obtained within 1 hour or sooner of the intervention until the desired endpoint is achieved.
7. This assessment and scoring should be repeated at the next scheduled assessment period or within 4 hours, whichever comes first. The sedation score (SAS), assessment data, vital signs and medication dose is documented at each dosage adjustment and/or with routine assessment.

During review of three (3) of three (3) medical records for patient assessment and ventilator tolerance medication titration, there is no objective evidence justifying sedation titration based on SAS documentation per the following orders:

**Fentanyl** 1 mcg/kg IV loading dose, then continuous infusion of 1 mcg/kg/hr. Alternate dose of 0.5 mcg/kg/hr can be initiated and titrated upward as needed. If target not achieved after 30 minutes increase by 1 mcg/kg/min every 30 minutes to a maximum dose of 200 mcg/hr.

**Versed** Start infusion at 1 mg/hr. If target not achieved after 30 minutes increase by 1 mg/hr every 30 minutes to a max of 10 mg/hr or target score achieved. If target over-achieved reduce infusion by 1

DNV Healthcare USA Inc. | dnvcertification@dnv.com | Certifications Rev 01-2022  
Page 4 of 14



# Common Findings

## 2. SM.2 Competence, Training and Awareness

*The VADP shall:*

*CR.1 Determine the necessary competence for personnel performing work affecting conformity to the VADP requirements;*

*CR.2 Have evidence to demonstrate initial and ongoing training in the care of VAD patients;*

**NCs:** *Related to a lack of documented OE of training as required by VADP*

## 3. SD.10 Device Management

*CR.1 The host organization shall ensure that effective processes are in place for the acquisition, safe use, and appropriate selection of VAD-specific devices for VADP patients.*

**NCs:** *Equipment deployed for patient use w/o Biomed processing  
PM self testing (Industry guidance has clarified)  
Out of date batteries  
Controller: single patient use*

Organization: St. Jamie's Hospital - Jeffcoat, SC


NC Number	Process or Standard	Nonconformance category	DNV requirement(s) and other applicable standard(s)
NC-1-1	Service Delivery Medication Management	NC-1 Condition Level	SC.9 (CR.2)
		X NC-1	
		NC-2	

Requirement (Description):  
SD.9 MEDICATION MANAGEMENT  
CR.2 All medications shall be administered by or under the supervision of nursing or other qualified personnel in accordance with applicable Federal and State laws. All drugs and biologicals shall be administered only upon the orders of the practitioner responsible for the care of the VAD patient in accordance with approved medical staff policies and procedures, and accepted standards of practice.


The requirement was NOT MET as evidenced by the following:  
Per St. Jamie's Hospital policy, Sedation Guidelines (rev. 4/15),  
Sedation and Assessment Documentation (pg. 6-7)  
1. A sedation goal or endpoint should be established & regularly redefined for each patient  
2. Regular assessment and response to therapy should be systematically documented  
3. The use of a validated sedation assessment scale (SAS) is recommended.  
Nursing assessment and documentation will be accomplished using the Riker Sedation Agitation Scale (SAS)  
2. The MD should indicate 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.

DNV Healthcare USA Inc. | dnvcertifications@dnv.com | Certifications Rev 01-2022  
Page 4 of 14

# Additional notes from a center's experience



- The DNV Requirements Manual is ~ 45 pages
- Each section has an “Interpretive Guidelines” section to offer additional insight or explanation of the requirements
- All light blue ink shows new additions from previous version.



# Additional notes from a center's experience

- VAD Program **QMS** must include:
  - Clinical & non-clinical services (*education at least annually*)
    - VAD Program Administrator
    - Medical & Surgical Directors
    - VAD Coordinator
    - VAD Quality Management Representative
    - Social Worker
    - Other discipline representatives at program's discretion
  - Measurable Quality Objectives (present/review quarterly)
  - Goal measurement/ prioritization of high-risk, problem-prone areas

# READINESS: Performance Measures



## Measurement Monitoring Analysis

1. Survivability
2. DL Infections
3. Readmissions
4. Strokes
5. Pump Thrombus
6. Length of Stay
7. Functional Status
8. Morbidity/Mortality
9. % pts Cardiac Rehab
10. QOL
11. Pt/Family Perception of VAD team w/ % returned surveys
12. ***NEW 9/30/22 GI Bleed***

# READINESS: Corrective Action Plans

- NC-1 Condition Level (*severe*)
  - *Resurvey w/in 60 days*
- NC-1 (*major*)
- NC-2 (*minor*)
- OFI\* (*opportunity for improvement*)

*\* If OFI is not addressed, it can become an NC in the future*

NOTE: Everyone has findings, if you don't preemptively identify areas of improvement in your program, DNV will find them for you.

DNV provides a CAP form to submit back to them for all NCs.

All NCs from previous year will be reviewed at next annual survey.